

# Visualize cell phenotypes and function with single-section spatial multiomics.

The RNAscope™ Multiomic LS Assay enables highly sensitive and specific detection of both RNA and proteins in the same tissue section for a true multiomic spatial assay. With automation on the BOND RX, you can easily scale studies to achieve your project goals.





#### Optimized multiomic workflow

- Robust RNAscope Multiplex TSA chemistry for both RNA and protein detection.
- Protease-free workflow preserves antigen integrity and tissue morphology.
- Same-slide H&E staining.



#### **Gold-standard RNAscope detection**

- Proven performance for FFPE samples and high to low expressing target genes.
- Backed by 10K publications.
- Over 50K probes visualized.



#### Fast and flexible assay design

- Unlimited RNA targets. Any gene. Any species.
- Easily add up to 2 of your own unconjugated antibodies.
- Expand protein plex up to 6 with ready-touse antibodies to immune markers.

On the cover: Human breast cancer tissue detected for CD4, CD8a, PanCK, and FoxP3 proteins and for interferon gamma and granzyme B transcripts.

# Unlimited Possibilites

#### **Pathology**

Protein biomarkers with clinical utility



#### **Tissue Composition**

Tissue and cell structure Tumor microenvironment



#### **Cell Identification**

Immune cell repertoire Established protein markers



#### **Cell Subtypes**


Markers from single-cell discovery



# Same Sample. Same Section. Same Cell.



Cytokines, chemokines, growth factors



#### **Infectious Agents**

Viruses Bacteria (microbiome)



#### **Engineered Cells**

CAR T, TCR T




## Fast and flexible assay design

# Get answers quickly to achieve your project goals.

#### **Oncology and Immuno-oncology**

Easily combine up to 4
pre-conjugated antibodies
for common targets highlighting
tumor infiltrating lymphocytes
(TIL) or other human protein
targets with your own
unconjugated primary antibodies
or RNA probes to interrogate the
tumor microenvironment




#### **Common RNA markers include:**

CAR-T | Checkpoints | Cytokines & Chemokines |
Activation & Exhaustion


### Mix and match for unlimited flexibility

Select up to 6 RNA targets or easily combine both protein and RNA targets in **3 simple steps**. Designing panels is easy, just select the number of markers you need to achieve your goal.



- Start with up to 2 of your own primary antibodies raised in mouse and rabbit and use with available secondaries.
- Add up to 4 preconjugated antibodies.


CD4 | CD 8 | FoxP3 | PanCK Add RNA markers in open channels.



# Specific and Sensitive

## Developed using RNAscope technology


#### **RNA Detection**



#### **RNAscope Chemistry**

Visualize RNAs with RNAscope Multiplex v2 detection technology. RNA-specific target probes designed using proprietary double ZZ technology are amplified using RNAscope technology followed by fluorescent TSA detection.

#### **Protein Detection**



#### **New Capability**

Visualize proteins using ready-to-use preconjugated primary antibodies or your own unconjugated primary antibodies together with available pre-qualified secondary antibodies. Antibodies are detected using RNAscope amplification reagents followed by fluorescent TSA detection.

### Getting Started is easy.

Access this new capability using RNAscope Professional Assay Services or reserve your kit today for use on the BOND RX.



Contact us to get first access to this exciting new assay! https://info.bio-techne.com/MultiomicsLS.html

**bie-techne** Global Developer, Manufacturer, and Supplier of High Quality Reagents, Analytical Instruments, and Precision Diagnostics

INCLUDES

R&D Systems" Novus Biologicals" Tocris Bioscience" ProteinSimple" ACD" ExosomeDx" Asuragen Lunaphore

#### **Contact Us**

Global info@bio-techne.com, bio-techne.com/find-us/distributors

North America TEL 800 343 7475

Europe // Middle East // Africa TEL +44 (0)1235 529449

China info.cn@bio-techne.com, TEL 400.821.3475

For research use only. Not for use in diagnostic procedures. Trademarks and registered trademarks are the property of their respective owners.

6663639462 MK 51-194, Rev C